

THIS SIGNIFIES THE FOLLOWING CONSTRUCTION PRODUCTS

**MONO SLAB® EZ FORM FOUNDATION SYSTEM** 

MANUFACTURED BY

**MONO SLAB EZ FORM LLC** 

ARE CERTIFIED FOR POINTS TOWARD NGBS GREEN CERTIFICATION TO THE ICC-700 NATIONAL GREEN BUILDING STANDARD, AS DETAILED BELOW.

Michael Luzier – President & CEO

September 10, 2021

Expiration Date

October 1, 2022

CERTIFICATE #000303

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



NGBS Green Certificate #NGBSGCP-000303

Products: Mono Slab® EZ Form Foundation System

Manufacturer: Mono Slab EZ Form LLC

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

2012 NATIONAL GREEN BUILDING STANDARD					
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	Additional Conditions of Use to Award Points		
2012 NGBS 601.8	Frost-protected shallow foundations, pier and pad foundations, post foundations, etc. are constructed.	3	This product is used for 50% or more of the building footprint.		

2015 NATIONAL GREEN BUILDING STANDARD					
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	Additional Conditions of Use to Award Points		
2015 NGBS 601.8	Frost-protected shallow foundations, pier and pad foundations, post foundations, etc. are constructed.	3	This product is used for 50% or more of the building footprint.		

2020 NATIONAL GREEN BUILDING STANDARD					
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	Additional Conditions of Use to Award Points		
2020 NGBS 601.8	A foundation system that minimizes soil disturbance, excavation quantities, and material usage is selected, designed, and constructed. Foundation system and is used on = 50% of building footprint. 3 points available.	3	This product is used for 50% or more of the building footprint.		